

Structures closed under intersections or unions

Toby Lam
University of Oxford

February 21, 2023

In a mathematical structure closed under intersections, we can define a minimal structure generated by a set using intersections.

Examples

- Subgroups generated by a set
- Closure (of a set)
- σ -algebra generated by a set

Subgroup generated by a set

Given a group G , let F denote the family of subgroups of G .

For any subset A of G , we can define the subgroup generated by A to be

$$\langle A \rangle = \bigcap_{H \in F, A \subset H} H$$

It has three properties

- $\langle A \rangle$ is a subgroup
- A is contained in $\langle A \rangle$
- If H is a subgroup and A is contained in H , then $\langle A \rangle$ is contained in H

Closure of a set

Given a topological space X , let \mathcal{T}' denote the family of closed sets of X . For any subset A of X , we can define the closure of A to be

$$\text{clo}(A) = \bigcap_{V \in \mathcal{T}', A \subset V} V$$

It has three properties

- $\text{clo}(A)$ is closed
- A is contained in $\text{clo}(A)$
- If V is a closed set and A is contained in V , then $\text{clo}(A)$ is contained in V

Generalisation

Let X be a set and F be a family of subsets of X , with the property that it's closed under intersections

$$F_i \in F \forall i \in I \implies \bigcap_{i \in I} F_i \in F$$

Then for some subset A of X , we can define

$$\langle A \rangle = \bigcap_{S \in F, A \subset S} S$$

with the following properties

- 1 $\langle A \rangle \in F$
- 2 $A \subset \langle A \rangle$
- 3 If $S \in F$ and $A \subset S$, then $\langle A \rangle \subset S$

Generalisation

Let X be a set and F be a family of subsets of X , with the property that it's closed under unions

$$F_i \in F \forall i \in I \implies \bigcup_{i \in I} F_i \in F$$

Then for some subset A of X , we can define

$$\langle A \rangle = \bigcup_{S \in F, S \subset A} S$$

with the following properties

- 1 $\langle A \rangle \in F$
- 2 * $\langle A \rangle \subset A$
- 3 * If $S \in F$ and $S \subset A$, then $S \subset \langle A \rangle$

Key example: Interior of subset of a topological space

Connected components

Let X be a topological space, F be the family of connected sets of X . For some subset A of X , we can define

$$C_A = \bigcup_{S \in F, A \subset S} S$$

with the following properties

- 1 $C_A \in F$ (Union of connected sets with nonempty intersection is connected)
- 2 $A \subset C_A$
- 3 * If $S \in F$ and $S \subset A$, then $S \subset C_A$

Remarks

Note that connected components are not closed under unions in general. Curiously, connected components has property 2 and 3*.

Conclusion

In a mathematical structure closed under intersections, we can define a minimal structure generated by a set using intersections.

Questions

- Is there any structure with property 1, 2^* and 3?

Related ideas

- Closure operator
- Field of sets